Air Mattress Valves and Inflation: A Buyer Checklist

Build a version-specific air mattress valve compatibility checklist: identify the interface, match pump and adapter records, and separate inflation, deflation and pack contents.

AI-generated editorial photographs show generic interfaces and packing concepts. They do not depict SKU 18, a verified compatible pump or a real product test.

Seawing Editorial Team

Outdoor Product Sourcing Guides

Content published by Zhangjiagang Seawing Import & Export Trade Co., Ltd.

Updated October 31, 2026 · 7 min read

TL;DR

Confirm an air mattress and pump as a documented pair: identify the selected mattress version and valve interface, request the approved nozzle or adapter, and obtain separate inflation, closure and deflation instructions. Reconcile these with a labelled sample and contents list. For Seawing SKU 18, the published PVC/flocked construction and five size references identify the catalogue family; they do not identify its valve type, compatible pump, working pressure or inflation time.

Anchor the interface request to SKU 18

This checklist is for product managers specifying an airbed presentation and its operating information. SKU 18 is a deep-blue PVC mattress with a flocked top, offered under five published size/model references. For example, the Twin Slim reference is YW24565, listed at 191 × 73 × 22 cm. Use the exact chosen model in the valve request; do not assume every size or future revision shares one interface.

The catalogue contents list names a mattress, colour box, repair patch and instruction manual. It does not list a pump. Preserve that distinction when asking about a proposed kit: a pump shown in an illustration or requested in an enquiry is not automatically included. Confirm the actual packing revision and accessory identifiers before combining separate offers into one retail unit.

Identify the inflation opening, closure and deflation route as separate operating questions. A name such as two-in-one, Boston or double valve is a search aid, not a universal interface standard. Request the supplier’s own identifier and annotated views before deciding which adapter, instructions or replacement cap to discuss. Keep model, revision and any component substitution attached to the answer.

> Published family: SKU 18, deep-blue PVC structure with flocked top and five model/size references.
>
> Example identification only: YW24565 is listed at 191 × 73 × 22 cm; other versions require their own record.
>
> Published contents: mattress, colour box, repair patch and manual. Valve and pump details need explicit version-linked confirmation.

Five checks before describing a pump match

The categories below organise supplier answers. They neither identify the current SKU’s valve nor approve any pictured pump.

Five checks before describing a pump match

Decision field	Separate these items	Request this evidence	Use the answer for
Interface identity	Valve body, cap, closure and any insert	Identifier and annotated open/closed views	One unambiguous reference for the offered model.
Pump connection	Pump model, hose end and adapter	Approved combination, connector details and connection instructions	A named pairing, not a universal-nozzle promise.
Inflation and closure	Filling route and final sealing sequence	Version-specific operating instructions and applicable limits	Consistent sample review and consumer instructions.
Deflation and packing	Outlet, release sequence and folded state	Approved deflation sequence and pack-state description	A separate procedure, not an assumed reverse motor function.
Supply and service	Included accessories and proposed replacements	Pack revision, part IDs and compatibility scope	Accurate retail contents and replacement discussions.

Match three records, not two similar shapes

Mattress record

Name the chosen model, revision and actual valve assembly.

Pump and adapter record

Identify the complete proposed connection and its operating information.

Reviewed pair

Reconcile a labelled sample, approved instructions and contents before describing compatibility.

Match three records, not two similar shapes

Illustrations of interface and packing questions

These AI-generated editorial photographs show generic mattresses, separate pump nozzles and packing states. They are not SKU 18 photographs, compatible-pump demonstrations or measurements.



AI editorial close-up of a generic mattress valve and detached pump nozzle with a visible gap; no compatibility demonstrated.



AI editorial view of a partially deflated generic mattress beside a separate pump and sack; no packed-size or inclusion claim.

A brief that can be answered option by option

Start with the selected product URL and model code, destination market, channel and quantity. Attach the valve questions to that model rather than to a general photo of an airbed. Ask the supplier to distinguish the current contents from a proposed pump kit, and to return the instructions and accessory references with the same revision. A sample fit check does not establish durability, electrical compliance or a pressure rating.

A brief that can be answered option by option

Buyer input	Requested answer	Decision to retain
Mattress/model and intended presentation	Version and valve assembly reference	Exactly which configuration is being discussed.
Proposed pump and power source	Approved pump/adapter pair and instructions	Whether the named pair is supported for the stated use.
Inflation and deflation questions	Separate routes, sequence and applicable limits	What the operator should follow for this version.
Retail kit and packaging	Current and proposed contents with part IDs	Which items are included and which are separate requests.
Service and market documents	Replacement scope and applicable evidence	Only version-supported service and market statements.

Five steps from valve question to reviewed pair

1. **Choose the model**

   Name SKU 18, its model code, revision, market, channel and quantity.

2. **Identify the interface**

   Request valve and cap identifiers with annotated open/closed photographs.

3 **Match the complete pair**

Request the pump, hose and adapter identifiers with approved connection instructions.

4 **Review operation and contents**

Reconcile inflation, closure, deflation, the labelled sample and actual pack list.

5 **Freeze the handoff**

Keep the agreed records and reopen the pairing after a valve, adapter or pump change.

Five steps from valve question to reviewed pair

Brand-specific manuals explain the questions

INTEX's original valve-identification sheet shows several distinct assemblies. Bestway UK's help page describes different access arrangements on its own built-in-pump versions. These sources show why an airbed's family name or appearance is insufficient to select an opening sequence. They do not identify SKU 18's valve or authorise a Bestway or INTEX operating sequence for it.

Bestway Brazil's pump guide, found in the current Portuguese-language review, emphasises checking the valve and supplied adapters and treats deflation as a separate pump feature. Coleman's QuickPump page identifies particular adapter families for its own pump. Use those original examples to request an exact pairing; do not transfer their compatibility, timing, power or sealing claims to Seawing. Any electrical or destination-market question must be reviewed against the actual offered pump and documents.

Original sources reviewed October 31, 2026

- INTEX — original valve-identification sheet
- Bestway UK — airbed operating arrangements
- Bestway Brazil — pump and adapter selection guide
- Coleman Mexico — QuickPump adapter description

Review the mattress and request its interface record

Open the SKU 18 record and choose the exact model. Send market, channel and quantity with valve identification, pump/adapter pairing, operating instructions, packing and accessory questions. Ask for the proposed version's documents before promising a compatible kit.

Review the mattress and request its interface record

Frequently Asked Questions

Can the valve be identified from the mattress size?

No. Size and model code identify the option to ask about; request the actual valve identifier and annotated views for that revision.

Does a pump with several nozzles fit every mattress?

No. Request the specific approved pump, hose and adapter combination. Similar shape or several supplied tips does not establish a supported connection.

Is a pump included with SKU 18?

The published pack list names the mattress, colour box, repair patch and manual. A pump is not listed; confirm any proposed kit and its exact contents separately.

Does an electric pump automatically deflate?

Do not assume that. Ask for its stated deflation function and the mattress's approved release sequence for the proposed pairing.

Can inflation time or pressure be copied from another airbed?

No. These values depend on the actual mattress, pump and conditions. Request applicable limits and methods rather than borrowing another model's numbers.

What belongs in a product-manager enquiry?

Send the model and revision, market, channel and quantity; request valve/adapter identifiers, approved pump pairing, separate inflation and deflation instructions, pack contents and scoped documents.