Gable-Roof Camping Tent Materials: An Outer, Inner, Floor and Pole Buying Brief

Compare the outer, inner, floor and pole records of Seawing SKU 51's 330 and 400 cm gable-roof pole tents, then prepare a version-specific sample and RFQ.

Product catalogue photograph

Seawing Editorial Team

Outdoor buying guides

Published by Zhangjiagang Seawing Import & Export Trade Co., Ltd.

Updated November 19, 2026 · 8 min read

TL;DR

Compare a gable-roof tent by component, not by one fabric label. For Seawing SKU 51, the current 330 and 400 cm records list a 190T polyester outer with PU coating and PU2000 specification, a 300D Oxford floor, and 7000-series aluminum poles of 8 mm diameter. The inner-tent material is not established by this record. Keep it open for written confirmation before approving a sample.

Identify the exact pole-tent version

SKU 51 is a gable-roof pole tent with two listed configurations: 330 × 230 × 180 cm and 400 × 280 × 190 cm. Identify the selected size before discussing fabric, packed dimensions or weight; the two rows are not interchangeable.

Seawing gable-roof camping tent · SKU 51

For the 330 version, the record lists 106 × 30 × 30 cm packed, 16.5 kg net and 18 kg with accessories. For the 400 version, it lists 112 × 30 × 30 cm, 20.5 kg net and 22 kg with accessories. A sample label and written offer should name both SKU and size. Ask the supplier to resolve the pump entry in the accessory field, because a pump is not explained by the listed pole construction.



Product catalogue photograph · Use the product view for identification, then confirm whether it depicts the 330 or 400 version.

Keep four construction layers separate

The current specification identifies 190T polyester as outer fabric, PU coating and a PU2000 fabric specification. That describes a recorded fabric field, not a whole-tent rain test. It separately identifies a 300D Oxford floor and 7000-series aluminum poles with 8 mm diameter. The inner-tent fabric needs written confirmation for the chosen version.

The floor meets different use and wear conditions from the outer. Compare physical swatches, seam construction and the selected coating separately. An illustrated swatch is only a way to organize questions; use the approved material sheet and sample to confirm the actual SKU.

Four-layer material and structure check

Component	Current SKU 51 record	Sample decision
Outer	190T polyester; PU coating; PU2000 specification	Match swatch, coating and seam to selected size
Inner	Not established in the current sheet	Request the material and construction in writing
Floor	300D Oxford fabric	Review material, corner and seam
Frame	7000-series aluminum poles; 8 mm diameter	Match pole set and replacement identity
Accessories	Awning poles, bag, lines and stakes are named; pump field needs clarification	Request itemized counts and resolve pump entry



Separate the outer, inner, floor and frame questions before approving a material sheet.

Outer

Record fabric, coating and seam as one outer-layer decision.

Inner and floor

Confirm the inner separately; compare the listed 300D floor against the sample.

Frame and pack

Match 8 mm aluminum poles and version-specific packed contents.

One tent brief needs separate evidence for every construction layer.

Approve a sample against each layer

Request dated photographs of the outer, inner, floor and pole labels on the same sample revision. Review the fitted outer and inner together, then inspect the floor corner, seam and attachment points. Record observed condition and measured positions. If a coating, fabric or pole changes after approval, issue a new revision instead of treating a similar photograph as the same version.

Keep the performance question separate from a material code. Ask which test method and report apply to the selected fabric and finished configuration. REI and the Camping and Caravanning Club explain why fabric, seams and construction must be considered together; their guidance is not a performance certificate for SKU 51.



Compare fitted outer and inner layers on one sample rather than one fabric code.

Keep the two size records distinct

Version	Unfolded / packed	Weight record
330	330 × 230 × 180 cm / 106 × 30 × 30 cm	16.5 kg net / 18 kg with accessories
400	400 × 280 × 190 cm / 112 × 30 × 30 cm	20.5 kg net / 22 kg with accessories



Check the floor corner and seam against the approved version.

Carry the same specification into the RFQ

The RFQ should state SKU 51, 330 or 400 size, outer and floor records, 7000-series 8 mm pole record, quantity, destination, packaging and the sample revision. Ask for the inner material and an itemized accessory list in writing. Keep the net tent weight distinct from total weight with accessories and from any export-carton weight.

Record any requested colour or logo change as a separate version. The current sheet says khaki or army green and colour or logo/fabric choice from 50 units; confirm the chosen combination and commercial terms for this order. Do not quote a generic price or copy another tent's waterproof result.



Keep material swatches, pole parts and the accepted sample revision together.

A version-specific first enquiry

“Please quote Seawing SKU 51, 330 version, for our stated quantity and destination. The current record lists a 190T polyester outer with PU coating and PU2000 specification, 300D Oxford floor, 7000-series aluminum poles of 8 mm diameter, 330 × 230 × 180 cm unfolded, 106 × 30 × 30 cm packed, 16.5 kg net and 18 kg with accessories. Please confirm the inner material, exact accessory quantities, why a pump appears in the pole-tent accessory field, and the packaging and sample revision included in your offer.” Replace the version and commercial inputs with your actual order.

From product record to approved version

1. **Choose the size**
   Save the SKU 51 product reference and select 330 or 400.
2. **Confirm materials**
   Request the inner material and match the listed outer, floor and poles.
3. **Approve the sample**
   Record photos, labels, dimensions and any deviation under one revision.
4. **Resolve the kit**
   Obtain component counts and clarify the pump field.
5. **Quote the version**
   Send size, sample revision, quantity, destination and packaging together.

From product record to approved version

Sources and further reading

These general tent and measurement references explain why material layers, seams and packed levels should be recorded separately. Their specifications do not apply to SKU 51. The Seawing product page and current specification provide the SKU values above.

Camping and Caravanning Club · Tent materials and buying guide

REI · Family camping tent selection

Tatonka · Tent material guide

GS1 · Product and package measurement

Open the SKU 51 product record, select 330 or 400, and send the unresolved inner, accessory and sample questions with your quantity and destination.

Frequently Asked Questions

Is SKU 51 an inflatable tent?

No. SKU 51 is a pole tent with 8 mm 7000-series aluminum poles, according to its current specification.

What is the inner-tent material?

The current sheet does not establish it. Request written material and construction details for the selected 330 or 400 version before sample approval.

Does PU2000 prove the complete tent is waterproof?

No. It is a listed fabric specification. Ask for the relevant method and version-specific report if finished-tent performance matters.

Are the 330 and 400 packed weights the same?

No. The 330 record lists 16.5 kg net and 18 kg with accessories; the 400 lists 20.5 kg net and 22 kg with accessories. Confirm carton weight separately.

Why does the pole-tent record mention a pump?

The accessory field includes a pump despite identifying a pole structure. Treat that entry as a question for the supplier and request an itemized packing list; do not assume the pump is needed or included in the quoted set.

Review the gable-roof tent and request your chosen version

Ready to move from research to a quotation? Send us your specification and target market — our team comes back with MOQ, lead time and pricing.

Review the gable-roof tent and request your chosen version

Get a Quote