

Tent Stakes and Guyline Kits: What to Specify

A product-manager RFQ method for separating published tent-stake and guyline facts from ground and kit questions.

Cover: AI-generated editorial scene; it is not a Seawing product, person, factory, customer site or test.

Seawing Editorial Team

[Outdoor Product Sourcing Guides](#)

Content published by Zhangjiagang Seawing Import & Export Trade Co., Ltd.

Updated September 23, 2026 · 7 min read

TL;DR

Specify a tent stake and guyline kit by exact SKU before discussing use: record the tent model, the published stake or line field, required quantity, destination ground description and photos of the proposed attachment points. Seawing lists a 23 cm aluminium-alloy stake and a separate 4 m × 3 mm reflective guyline record. Those records do not establish holding power, terrain suitability, wind performance, compatibility or kit contents; confirm them for the selected tent and destination.

Turn an accessory name into a checkable brief

A stake and a guyline are separate records. Start with the tent SKU and variant, then map each attachment point, the requested number of parts and the destination ground description. A material, photo or product name is not evidence of holding power, safe use, wind resistance or a complete kit.

The Seawing stake record lists aluminium alloy, 1.7 × 23 cm, 33 g and red or green. The separate guyline record lists 4 m, 3 mm, an orange colour, PP core, polyester yarn and reflective thread. Keep those fields with their own SKU; ask which pieces, quantities and connection form are approved for the selected tent.

Published fields and the questions they leave open

Published fields and the questions they leave open

Reference	Published field	Confirm for the selected tent and destination
Aluminium tent stakes	Aluminium alloy; 1.7 × 23 cm; 33 g each; red or green	Quantity, ground conditions, attachment method and any approved setup guidance.
Reflective tent guyline	4 m × 3 mm; orange; PP core, polyester yarn and reflective thread	Required number, termination, tensioning component, tent attachment and pack contents.
Tent configuration	Model and variant chosen by buyer	Guy-out locations, compatible parts and the specific ground-use brief.

Three checks before an accessory RFQ

Tent identity SKU and variant Name the selected tent and show its current attachment points.	Accessory record Stake and line fields Keep each published measurement and construction with its own record.
Use brief Ground and destination Describe the site and ask the supplier to confirm the proposed kit and instructions.	

Buyer planning diagram only. It does not rate ground, force, weather or safety.

Catalogue references for identifying the accessories

These site-hosted images identify separate catalogue records. They do not prove soil suitability, holding power, shared kit contents, compatibility or a setup result.



Stake record: retain the selected colour, quantity and terrain questions in the RFQ.



Guyline record: confirm attachment, termination and the selected tent's required quantity.

Accessory RFQ fields

Accessory RFQ fields

Field	Include	Why it is needed
Tent	SKU, variant, revision and current photos	Prevents transferring accessories between records.
Ground brief	Destination, surface description and local setup constraints	Lets the supplier assess the requested configuration.
Accessory map	Stake and line SKU, requested count, attachment locations and photos	Makes kit content and connection questions explicit.

Field	Include	Why it is needed
Confirmation	Pack list, approved instructions and order-specific terms	Keeps an unverified kit or ground claim out of the listing.

From product record to accessory enquiry

1 Choose the tent

Record exact SKU, variant and revision.

2 Map attachments

Mark each proposed stake and guyline location with photos.

3 Describe the site

Add the destination ground and local constraints.

4 Request confirmation

Ask for approved parts, quantity, pack list and instructions for this case.

From product record to accessory enquiry

How external guidance is used

REI and Coleman publish their own tent-setup guidance, while Hilleberg and GEAR AID show their own guyline and kit approaches. These sources help a buyer collect questions; they do not test, specify or approve a Seawing SKU, terrain or kit.

For tent configuration questions, use the tents and shelters category. This guide owns the accessory brief: it does not replace the selected tent's current record or destination-specific confirmation.

Build an accessory RFQ for the selected tent

Frequently Asked Questions

Do the listed stake dimensions prove a ground type?

No. The published dimensions and material do not establish terrain suitability or holding power. Include the destination ground in the enquiry.

Does a guyline record establish kit quantity?

No. Confirm the selected tent's attachment map, required count and pack list.

Can a product photo prove compatibility?

No. Ask for approved attachment and component confirmation for the exact tent variant.

What should a ground brief include?

Name the destination and surface conditions, local constraints, selected tent, proposed locations and clear photos.

Where should the RFQ go?

Use the aluminium tent stakes product page, name both accessory records and the tent SKU, then request a ground-specific kit confirmation.

SOURCES AND FURTHER READING

Original guidance and current industry context; none certifies a Seawing product or project.

REI Co-op — How to Set Up a Tent

Original retailer setup guidance used only for buyer questions about guylines and stakes; not a Seawing product, terrain or safety approval.

Coleman — Tent Camping Guide

Manufacturer setup context for its own tents; use it to identify questions, not to transfer instructions or performance to Seawing.

Hilleberg — Guy Line

Manufacturer-specific guyline component examples; not an approved Seawing kit or compatibility

record.

GEAR AID — Reflective Guyline Kit

A separate manufacturer kit record used only to distinguish kit-content questions from a cord specification.
